



PLASTIC WASTE: ENVIRONMENTAL IMPACT, INNOVATIVE SOLUTIONS, AND PATHWAYS TO SUSTAINABLE MANAGEMENT

SALEEM F^{1*}, SALEEM MA², KHALIL U³, MAQSOOD MZ⁴

¹Department of Botany (Life Sciences), Government College University Faisalabad, Pakistan ²Department of Bioinformatics & Biotechnology, Government College University Faisalabad, Pakistan ³Department of Food Sciences, University of the Punjab, Lahore, Pakistan ⁴Fauji Fertilizer Company Limited (FFC), Pakistan *Correspondence Author Email Address: <u>fatimasaleem5u@gmail.com</u>

(Received, 10th March 2024, Revised 30th January 2025, Published 17st February 2025)

Abstract Plastic waste, therefore, has become one of the most significant environmental and health challenges in the contemporary world mainly because it is highly nonbiodegradable and permeates the Earth's terrestrial, aquatic, and aerial environments. Therefore, the present work aims to assess the environmental and ecological consequences of plastic pollution accentuating on deterioration of ecosystems, alteration in physical and chemical attributes of the soil, pollution of water sources, and negative effects on biological diversification and human well-being. The various technological measures like adsorption, photocatalytic degradation, coagulation, and microbial decomposition as innovative treatment processes for degrading plastics and their associated impacts are analyzed precisely. Conventional approaches such as recycling, disposal through burning, and disposal through landfilling are presented and compared to solutions that seek to embrace the circular economy model to enhance proper waste management. Subsequently, the study establishes the opportunity to integrate novel approaches in technology with structures that are already in place to solve the comprehensive issues caused by plastic pollution. This paper underscores the existing systematic focus on the green approach towards the integration of bio-friendly methods to reduce plastic waste and enhance natural resources and health safety to form a roadmap to sustainable living.

[Citation: Saleem, F., Saleem, M.A., Khalil, U., Maqsood, M.Z. (2025). Plastic Waste: Environmental Impact, Innovative Solutions, and Pathways to Sustainable Management. J. Life Soc. Sci, 4: 36] Keywords: Environmental impact; Waste management; Circular economy; sustainable approaches; Plastic pollution

Introduction

Plastic pollution has turned into an international problem affecting the environment. Plastics also intrude into one ecological niche or another terrestrial aquatic and marine - and endanger both animal and human lives. This crisis is mainly attributed to the management of plastic waste; whereby the quantity found in the terrestrial ecosystem would rise from 11 million tons per year in 2016 to 22 million tons in 2040; while that of the aquatic ecosystem would rise from 18 million tons per year in 2016 to 2040. This problem is mainly complicated by the ubiquity of plastic debris, particularly microplastics, which contaminate the food web and greatly affect ecological systems (Bidashimwa et al., 2023). The life cycle of plastics thus squarely plays a role in influencing climate change. Besides the above difficulties of inadequate disposal, the burning of plastics leads to the emission of health-threatening gases such as carbon dioxide and dioxins. This apart, the effects extend into the

long-term significant consequences on the rates of global warming besides the negative impacts on the survival of living organisms. Estimates have shown that greenhouse gas emissions from plastics are expected to rise to 4.3 Gt CO₂ equivalent by 2050, and enhanced waste management solutions are dominant (Dey et al., 2024). With the increase of global population and industrialization, the use of plastics has also increased consequently, the pollution of wastes in the environment worsens. These compounds accumulate as follows as they impact water bodies and wildlife on land and in seawater. For instance, research shows that various types of plastic compounds have been found in ecosystems at various proportions and have affected the soil microbial processes resulting in inhibition of nutrient cycles. Moreover, it affects the ability of ecosystems to adapt to the climate and poses a direct threat to food security as well as immense human diseases (AHMAD et al., 2023; Lakhiar et al., 2024; Stoett et al., 2024).

Developing countries are more vulnerable to the problems of proper disposal of plastic waste because they are usually poorly equipped and also because they collect waste from developed countries. Plastic waste management in these areas contributes to the worsening of the environment around them further declines agricultural production and threatens species' existence. Waste management solutions need to involve these massive commitments, inter-country alliances, and grassroots campaigns to abolish these difficulties (Browning et al., 2021; Irfan and Mirara, 2024; Junaid and Gokce, 2024; Mushtaq et al., 2024). Measures that have been taken toward addressing the effects of the excessive use of plastics have been based on finding new ways to solve the issue. Modern solutions involve the reuse, incineration, and production of products that can be naturally degraded or processed into energy sources have become widespread. For example, recent developments in the range of recycling processes have shown that plastic waste can be turned into high-value products such as adsorbents for pollutant removal, road construction materials, and sources of energy. However, these efforts require global standardization and the implementation of stringent policies to ensure their effectiveness (Pandey et al., 2023; Singh and Sharma, 2016). Plastic, a ubiquitous material in modern society, has revolutionized industries such as packaging, construction, healthcare, and transportation. Its unique polymeric structure, derived from petroleum, offers unparalleled durability, lightweight characteristics, and affordability. However, these same properties, particularly its resistance to biodegradation, make plastic a significant environmental concern. For example, common items like plastic bags, bottles, and fishing lines take 20, 450, and 600 years, respectively, to decompose. The commercialization of plastics, which accelerated post-World War II, has led to a global production rate exceeding 359 million tons annually, posing substantial environmental and health risks despite its utility (Kibria et al., 2023; Pilapitiya and Ratnavake, 2024). Plastics are a really helpful development but their effect on the physical environment and even humans make it crucial to effect constructive change. With the right strategies that implement circular economy and innovative green technologies, the world has a chance to counter the impact of plastic waste. Research emphasizes the importance of sustainable development and the urgent need for global collaboration to address this crisis effectively (Nkwachukwu et al., 2013).

Types of Plastic Pollution and Their Environmental Impact

Single-Use Plastics: A Persistent Threat

Single-use plastics, intended for one-time use before disposal, are ubiquitous in daily life. Items such as straws, grocery bags, and fast-food containers dominate consumer culture due to their convenience. However, their environmental consequences are severe, with estimates suggesting that up to 37 million metric tons of plastic could enter oceans annually by 2040. This figure equates to the weight of 178 Symphony of the Seas, the world's largest cruise ship, posing immense threats to marine ecosystems and biodiversity (Agamuthu, 2018).

Microplastics: A Global Menace

Microplastics, defined as plastic particles smaller than 5 mm, are persistent across the globe, from urban centers to the most remote regions. Approximately 51 trillion microplastic particles have been recorded on the ocean surface alone. Their small size enables ingestion by organisms, leading to biomagnification and bioaccumulation of toxic chemicals through food chains. The environmental threat intensifies as microplastics under 1 mm infiltrate terrestrial, aquatic, and marine ecosystems, disrupting natural processes and threatening wildlife (Kjeldsen et al., 2018).

Nano-plastics: Invisible but Potent Contaminants Nano-plastics, measuring under 100 nano-meters, represent an emerging category of environmental pollutants. These particles are small enough to enter cellular structures, posing risks to human and animal health. They have been detected in the air, food, and even within human bodies, including transference from mothers to their unborn children. Although research on nano-plastics is still developing, their higher ecological and health risks compared to microplastics have attracted significant scientific attention (Cai et al., 2021).

Sources and Origins of Plastic Pollution Escalating Plastic Production:

Commercial plastic production, which began in the 1930s, has seen exponential growth, with a 622% increase between 1976 and 2014. Despite advances in recycling and energy recovery, vast amounts of plastic waste still find their way into the environment, where it persists for decades. Annually, over 300 million tons of plastic are produced, much of which accumulates in ecosystems, harming biodiversity and contaminating food chains (Bläsing and Amelung, 2018).

Widespread Application and Disposal Challenges The adaptability of plastic has led to its widespread application in industries such as packaging, construction, and electronics. However, this utility comes with the challenge of improper disposal, particularly due to its long-lasting nature. Plastic debris, including microplastics, is now recognized as a major environmental threat, even in remote regions. Exploding scientific concern over its consequences on the ecosystem and human well-being has been the primary force behind this spectacle (<u>Galafassi et al.</u>, <u>2019</u>).

Composition and Environmental Consequences of Synthetic Plastics

Dominance of Synthetic Polymers

Synthetic polymers, such as polyethylene (PE), polypropylene (PP), and polystyrene (PS), make up

80% of current plastic production. These materials are valued for their strength but hardly decompose naturally thus ending up forming a large part of the waste stream. Their continued use has led to the pollution of land water and air, waste disposal and management as well as ecological issues (Phuong et al., 2016).

Exploring Biodegradable Alternatives

As a result of the deteriorating environmental status, biodegradable plastics have been developed as the precise solution. These materials decompose quicker and have the intent of minimizing plastic waste pollutant's impact on the environment. Several global programs have been set to control plastic pollution and the use of eco-friendly materials instead of synthetic plastics sources new ideas (Shams et al., 2021).

The Broader Implications of Plastic Pollution

Since the Second World War, the use of plastics has prompted industrialization but at the expense of the environment. These man-made polymers produced from natural gases, coal, and petroleum have taken center stage in several operations such as agriculture and manufacturing. Nevertheless, their nondegradability and biodegradability have aggravated pollution in the global environment. As awareness regarding such issues rises, there is a growing attempt to investigate geographical and temporal distributions of plastic pollution and the formulation of efficient measures to address the problem (Bhuyan et al., 2021; Ilyas et al., 2018). Understanding the sources, impacts, and prospects of plastics gives stakeholders the ability to manage the environmental and health risks that have been discussed and transform them into a new sustainable environment.

Effects of Plastic Pollution on the Environment and Human Health

Environmental Persistence of Plastics

Plastics are appreciated for their lightweight, hydrophobic, and high mechanical performance, which can hardly be overestimated in everyday use. However, since they are not easily bio-degradable, current global estimates indicate that virtually every force and glycoprotein incorporated by plastics, if not burned, is still present today (Figure 1). Plastics decompose further into microplastics accumulate in living forms and destabilize the biome. Also, this persistence does not only endanger food chains but also comes with unknown consequences to human health (Smith and Brisman, 2021). The presence of plastic debris in water bodies, therefore, is known to influence the structures and functioning of aquatic ecosystems and the subsequent ecological- and socioeconomic impacts (Thushari and Senevirathna, 2020).





Impact on Wildlife and Habitats

Plastic pollution significantly disrupts wildlife and natural habitats. Many species, both aquatic and terrestrial, face entanglement, suffocation, and ingestion of plastics, which lead to injuries, fatalities, and ecosystem imbalances (Figure 1). These disruptions interfere with feeding, reproduction, and mobility, while also creating new vectors for invasive species and contributing to biodiversity loss. The chemical nature of plastics refuses to decay and thus persists in the environment to cause harm and more severe ecological impacts (Dhairykar et al., 2022). Moreover, plastics alter environmental rotations, additionally deteriorating the degradation of natural habitats (Anunobi, 2022). Effects on Soil Health

Plastic waste contents in particular negatively impact the soil bio community together with microplastic residues. These residues interfere with structures of the soil such as physical and chemical properties, microbial behavior, and nutrient cycling which eventually influences plant growth and soil health (Figure 1). For instance, microplastic produces oxidative stress in plants and also hinders the growth and development of soil microorganisms such as earthworms and nematodes. With time, the chemical features of those residual plastics and their concentration affect the physical structures of the soils; the water permeation, and the crop yields (Koskei et al., 2021; Zhang et al., 2022). Inadequate disposal of plastics also causes virtually all the soils today to be barren, which is a major danger to all the communities in the world (Kibria et al., 2023).

Plastic pollution affects the marine environment and the freshwater aquatic system such as rivers and streams. A lush freshwater environment enables to transfer of the plastic remains to coastal and marine environments because of floods that the current extreme climate shudders like hurricanes (Figure 1). Pollutants including plastics have a direct adverse effect on marine life; seabirds and sea turtles get entangled in plastics and eat them, this decreases their mobility, and in extreme cases contributes to reproductive failure and death. More than 690 aquatic organisms suffer from microplastics and by 2050, marine litter will threaten 90% of seabirds. Another disadvantage of plastics is that they act as containers for dangerous materials that are within the ocean water and become even more dangerous when ingested by marine creatures.

Human Health Risks

The negative effects of plastic pollution can mostly be classified as affecting human health in both a direct and indirect manner. Microplastics are consumed through, ingestion, inhalation, and dermal penetration, by the human body and release toxic chemicals like BPA and phthalates that cause hormonal imbalances and cancers (Figure 1). Such exposures give rise to different health effects such as respiratory complications, gastrointestinal illnesses, and chronic disease complications like cancer among others (Adeniran and Shakantu, 2022; Cook and Halden, 2020). On a cellular level, nano-particles are capable of causing oxidative stress, DNA and DNA strand modifications, and inflammation leading to more adverse health impacts (Wang et al., 2020). The most vulnerable group affected by airborne microplastics is the workers in industries involving the use of plastics (Shetty et al., 2023).

Climate Change and Plastics

The life cycle of plastics regarding their production as raw materials, processing, use, and disposal is known to emit greenhouse gases. Environmentally discharged plastics contribute to the emission of carbon dioxide, methane, and other gasses that carry about the reduced ability of ecosystems, such as oceans, to carbon fixation. Global emissions from plastics are expected to rise to 2.8 gigatons by 2050, a figure that would overshadow the global carbon allowance. Also, the results from the effects of microplastic on climate change show that this pollution disrupts the structures of the soil, and the microbial communities and encourages the emission of greenhouse gases (Li et al., 2024; Shen et al., 2020).

Toxicity and Food Chain Contamination

Plastics pollute the food chain by shedding different types of toxic chemicals that harm the lives of both land and sea organisms. Microplastic intake in marine species enables the deposition of toxins in their body tissues which in turn is passed to the human consumers of seafood. Amongst these are heavy metals and flame retardants which interfere with the body's organs, human reproduction, and immunological systems (<u>Bradney et al., 2019</u>; <u>Sheema et al., 2024</u>; <u>Ullah et al., 2023a</u>; <u>Ullah et al., 2023b</u>; <u>Yuan et al., 2022</u>). Research has shown that nano-plastics are more easily ingested by species and are perhaps more hazardous to human health when inhaled or ingested consistently (<u>Waring et al., 2018</u>). **Community Health Risks**

Plastic has a worse impact on assailable societies because it pollutes areas in which there is least effective waste disposal. These chemicals spread into the environment by a common practice known as the open burning of plastic wastes in such areas, which pose a great danger to the health of communities. Some of the factors that worsen microplastic pollution in urban areas include stormwater run-off, industrial effluent discharge, and sewage discharge most of which adversely affect the living standards of neglected minorities. In addition, rural communities suffer from multiple cognitive and cascading effects of plastic pollution such as loss of arable land, water shortages, and food scarcity (<u>Mihai et al., 2021; Velis</u> and Cook, 2021).

Technological Practices to Reduce Plastic Waste Innovative Methods for Plastic Waste Management

The rising problem of plastic waste has introduced various developments in trying to resolve this Utilizing adsorption, problem. photocatalytic degradation, coagulation, microbial and decomposition has the potential to decrease physical amounts of plastics in the environment efficiently. However, the basic principles such as disposing of waste in landfills, incineration, and the rightly acclaimed 3R's, reduce, reuse, recycle model still hold good. These general strategies as a whole target to reduce the impacts carried about by plastic wastes and at the same time enhance sustainability (Pandey et al., 2023).

Modern Approaches to Recycling and Circular Economy Models

Recycling: A Sustainable Solution

Recycling is another reusing technique that turns waste material into useful products. This process counteracts pollution, saves landfill space, and preserves energy and natural resources solitary. Recycling is the methods that support advancement in sustainability since it helps to reduce the usage of fossil energy and helps advance resource utilization and advancing the economy (Evode et al., 2021).

Circular Economy Models (CE)

The CE, the core of which is the idea of waste minimization and material circulation, aims to make the materials being used as long as possible. CE's approach to plastic management entails waste segregation, recycling technology, and decentralized measures with concern of developing countries (Babaremu et al., 2022). Despite its promising advantages, CE models must address the

environmental and social harm caused by plastics, even when effectively integrated into the economy (Fellner and Brunner, 2022).

Established Techniques for Plastic Waste Management

Landfilling

Landfilling, one of the oldest waste disposal methods, involves burying waste materials in designated sites. However, it is increasingly discouraged due to its long-term environmental impacts. Plastics buried in landfills can remain intact for over 1,500 years, releasing toxins into the soil and groundwater. Advanced countries are practicing other methods of minimizing the use of landfills and the subsequent ramifications (Fayshal, 2024).

Incineration

The process in which plastics burn in the presence of high oxygen, converting waste into carbon dioxide and water molecules known as incineration or waste management technique. Though this alters the amount of plastic waste, these processes release greenhouse gases. Modern incineration systems are being designed to offer improved results and to have the least impact on the environment (Kumari et al., 2022).

Advanced Technological Solutions Adsorption

Adsorption has become perhaps the most common environmental-friendly process of treating wastewater and eliminating contaminants. This costefficient and highly effective method involves the use of different adsorbent materials including cellulose microsphere and metal oxide for removal of dye and other pollutants. Adsorption technology also gives a non-hazardous approach to other techniques since it does not produce toxic by-products(<u>Mensah et al.</u>, <u>2024</u>).

Photocatalytic Degradation

Photocatalysis is a relatively modern concept classified under green technology which aims to remove pollutants particularly plastics using semiconductors that are activated by light. This method does not only minimize the use of plastics but also converts them into high-value chemicals that are useful for the circulation economy. The process of photocatalytic degradation is an economical method and utilizes ambient conditions, an innovative solution for large-scale plastic waste management (<u>Díez et al., 2023; Wang et al., 2023</u>).

Coagulation

Coagulation remains another useful method of water purification from microplastics. The process includes neutralization, destabilization, and adsorption to form floc structures that can conveniently be removed during water treatment. Coagulation has been effectively used in surface water and wastewater treatment and has proven useful in microplastic reduction and mitigation of load on subsequent treatment processes (Lee et al., 2023)

Biological Solutions for Plastic Decomposition Microbial Decomposition

Biodegradation by microbes is an environmental and eco-friendly method of dealing with biodegradable plastics. Microorganisms attach to the plastic surface, excrete enzymes, and degrade plastic into watersoluble species. It fastens the degradation of plastics but with the help of conventional plastic further research and optimization are required for the complete degradation (<u>Omura et al., 2024</u>).

Saleem et al., (2025)

Microbial Innovations

Microbes are also used extensively in the synthesis of bioplastics, which are intended to be disposed of more readily than regular plastics. The required time for degradation can be greatly reduced if the microorganisms are improved and used in synergy with the existing plastic waste management systems. Such advancements prove that biotechnology can be used to solve the issue of plastic pollution globally (Venkatesh et al., 2021).

Summary

Plastic pollution become a long-lasting and globally ubiquitously experienced problem that has emerged as one of the greatest threats to the world's ecological future and human well-being. This article focuses on the various ways that plastic pollution affects soil structure, and water bodies, and the various effects that come from entanglement, ingestion, and invasion of habitats. The impact is not limited to human health only, where plastics; micro- and nano-plastics in particular, enter the food chain and cause respiratory, gastrointestinal, and immunological diseases. Technologies provide relatively suitable solutions to reduce the adverse effects of plastic. Advanced techniques such as adsorption, photocatalytic degradation, coagulation, and microbial degradation methods are well-intentioned and high potential examples to reduce the plastic waste impacts effectively. The conventional treatment methods such as recycling, incineration, and landfilling are also considered, as well as the challenges and possible enhancements of the existing solutions. The integration of circular economy models appears as a major mitigation measure to improve resource utilization and reduce waste production. These solutions. however. undertake international cooperation and local implementation, especially in the low- and middle-income areas. The study therefore demands an approach that integrates technological solutions, environment-friendly techniques, and policy measures to combat this increasing threat of plastic pollution.

Conclusion

Though, plastic pollution is one of the main environmental and health issues around the world in the 21st century. Its adverse effects in ecological niches and among human beings demand urgent measures to control waste production and enhance management towards long-term negative effects. Conventional strategies including recycling and landfilling form the general approach but photocatalysis, microbial degradation, and adsorption are the unique approaches to combat waste management. The application of circular economy into the waste management industry provides a viable solution that will help in reducing plastic waste pollution in the environment. The problem requires collective action on the international level though with a focus on the most significant issues of different regions. Through fostering innovation in technology, policy change, and encouraging more community participation it is possible to work towards a future with limited plastics and improved environmental sustainability. This inclusive framework provides the basis for a sustainable response to the advancing plastic waste problem.

References

- Adeniran, A. A., and Shakantu, W. (2022). The health and environmental impact of plastic waste disposal in South African Townships: A review. *International Journal of Environmental Research and Public Health* **19**, 779.
- Agamuthu, P. (2018). Marine debris, plastics, microplastics and nano-plastics: What next?, Vol. 36, pp. 869-871. SAGE Publications Sage UK: London, England.
- AHMAD, B., MAHMOOD, A., SAMI, A., and HAIDER, M. (2023). Food choices, clothing patterns and interpersonal relations: effects of social media on youth's lifestyle. *Biological and Agricultural Sciences Research Journal* 2023, 23-23.
- Anunobi, T. (2022). Hazardous effects of plastic wastes on land biodiversity: A review. *Zoologist* (*the*) **20**, 80-86.
- Babaremu, K., Okoya, S., Hughes, E., Tijani, B., Teidi, D., Akpan, A., Igwe, J., Karera, S., Oyinlola, M., and Akinlabi, E. (2022). Sustainable plastic waste management in a circular economy. *Heliyon* 8.
- Bhuyan, M. S., Venkatramanan, S., Selvam, S., Szabo, S., Hossain, M. M., Rashed-Un-Nabi, M., Paramasivam, C., Jonathan, M., and Islam, M. S. (2021). Plastics in marine ecosystem: A review of their sources and pollution conduits. *Regional Studies in Marine Science* **41**, 101539.
- Bidashimwa, D., Hoke, T., Huynh, T. B., Narkpitaks, N., Priyonugroho, K., Ha, T. T., Burns, A., and Weissman, A. (2023). Plastic pollution: how can the global health community fight the growing problem? *BMJ Global Health* 8, e012140.
- Bläsing, M., and Amelung, W. (2018). Plastics in soil: Analytical methods and possible sources. *Science of the total environment* **612**, 422-435.
- Bradney, L., Wijesekara, H., Palansooriya, K. N., Obadamudalige, N., Bolan, N. S., Ok, Y. S., Rinklebe, J., Kim, K.-H., and Kirkham, M. (2019). Particulate plastics as a vector for toxic trace-element uptake by aquatic and terrestrial organisms and human health risk. *Environment international* **131**, 104937.

- Browning, S., Beymer-Farris, B., and Seay, J. R. (2021). Addressing the challenges associated with plastic waste disposal and management in developing countries. *Current Opinion in Chemical Engineering* **32**, 100682.
- Cai, H., Xu, E. G., Du, F., Li, R., Liu, J., and Shi, H. (2021). Analysis of environmental nanoplastics: Progress and challenges. *Chemical Engineering Journal* 410, 128208.
- Cook, C. R., and Halden, R. U. (2020). Ecological and health issues of plastic waste. *In* "Plastic waste and recycling", pp. 513-527. Elsevier.
- Dey, S., Veerendra, G., Babu, P. A., Manoj, A. P., and Nagarjuna, K. (2024). Degradation of plastics waste and its effects on biological ecosystems: A scientific analysis and comprehensive review. *Biomedical Materials & Devices* 2, 70-112.
- Dhairykar, M., Jawre, S., and Rajput, N. (2022). Impact of plastic pollution on wildlife and its natural habitat. *The Pharm Innovation Journal*, 141-143.
- Díez, A. M., Licciardello, N., and Kolen, Y. V. (2023). Photocatalytic processes as a potential solution for plastic waste management. *Polymer Degradation and Stability*, 110459.
- Evode, N., Qamar, S. A., Bilal, M., Barceló, D., and Iqbal, H. M. (2021). Plastic waste and its management strategies for environmental sustainability. *Case Studies in Chemical and Environmental Engineering* **4**, 100142.
- Fayshal, M. A. (2024). Current practices of plastic waste management, environmental impacts, and potential alternatives for reducing pollution and improving management. *Heliyon* **10**.
- Fellner, J., and Brunner, P. H. (2022). Plastic waste management: is circular economy really the best solution? *Journal of Material Cycles and Waste Management* **24**, 1-3.
- Galafassi, S., Nizzetto, L., and Volta, P. (2019). Plastic sources: A survey across scientific and grey literature for their inventory and relative contribution to microplastics pollution in natural environments, with an emphasis on surface water. *Science of the Total Environment* **693**, 133499.
- Ilyas, M., Ahmad, W., Khan, H., Yousaf, S., Khan, K., and Nazir, S. (2018). Plastic waste as a significant threat to environment–a systematic literature review. *Reviews on environmental health* 33, 383-406.
- Irfan, M. F., and Mirara, F. (2024). BIOCHAR APPLICATION IN IMPROVING SOIL HEALTH AND SUSTAINABILITY. Bulletin of Biological and Allied Sciences Research 2024, 81.
- Junaid, M. D., and Gokce, A. F. (2024). GLOBAL AGRICULTURAL LOSSES AND THEIR CAUSES. Bulletin of Biological and Allied Sciences Research **2024**, 66.

- Kibria, M. G., Masuk, N. I., Safayet, R., Nguyen, H. Q., and Mourshed, M. (2023). Plastic waste: challenges and opportunities to mitigate pollution and effective management. *International Journal of Environmental Research* **17**, 20.
- Kjeldsen, A., Price, M., Lilley, C., Guzniczak, E., and Archer, I. (2018). A review of standards for biodegradable plastics. *Ind. Biotechnol. Innov. Cent* 33.
- Koskei, K., Munyasya, A. N., Wang, Y.-B., Zhao, Z.-Y., Zhou, R., Indoshi, S. N., Wang, W., Cheruiyot, W. K., Mburu, D. M., and Nyende, A. B. (2021). Effects of increased plastic film residues on soil properties and crop productivity in agro-ecosystem. *Journal of Hazardous Materials* 414, 125521.
- Kumari, M., Chaudhary, G. R., Chaudhary, S., and Umar, A. (2022). Transformation of solid plastic waste to activated carbon fibres for wastewater treatment. *Chemosphere* **294**, 133692.
- Lakhiar, I. A., Yan, H., Zhang, J., Wang, G., Deng, S., Bao, R., Zhang, C., Syed, T. N., Wang, B., and Zhou, R. (2024). Plastic pollution in agriculture as a threat to food security, the ecosystem, and the environment: an overview. *Agronomy* **14**, 548.
- Lee, J., Wang, J., Oh, Y., and Jeong, S. (2023). Highly efficient microplastics removal from water using in-situ ferrate coagulation: Performance evaluation by micro-Fourier-transformed infrared spectroscopy and coagulation mechanism. *Chemical Engineering Journal* **451**, 138556.
- Li, K., Ward, H., Lin, H. X., and Tukker, A. (2024). Traded Plastic, Traded Impacts? Designing Counterfactual Scenarios to Assess Environmental Impacts of Global Plastic Waste Trade. *Environmental Science & Technology*.
- Mensah, K., Mahmoud, H., Fujii, M., Samy, M., and Shokry, H. (2024). Dye removal using novel adsorbents synthesized from plastic waste and eggshell: mechanism, isotherms, kinetics, thermodynamics, regeneration, and water matrices. *Biomass Conversion and Biorefinery* 14, 12945-12960.
- Mihai, F.-C., Gündoğdu, S., Markley, L. A., Olivelli, A., Khan, F. R., Gwinnett, C., Gutberlet, J., Reyna-Bensusan, N., Llanquileo-Melgarejo, P., and Meidiana, C. (2021). Plastic pollution, waste management issues, and circular economy opportunities in rural communities. *Sustainability* 14, 20.
- Mushtaq, R., Shafiq, M., Batool, A., Din, M. I., and Sami, A. (2024). INVESTIGATE THE IMPACT OF ZINC OXIDE NANOPARTICLES **UNDER** LEAD TOXICITY ON CHILLI (CAPSICUM ANNUUM L). Bulletin of Biological and Allied Sciences Research 2024, 90.

- Nkwachukwu, O. I., Chima, C. H., Ikenna, A. O., and Albert, L. (2013). Focus on potential environmental issues on plastic world towards a sustainable plastic recycling in developing countries. *International Journal of Industrial Chemistry* 4, 1-13.
- Omura, T., Isobe, N., Miura, T., Ishii, S. i., Mori, M., Ishitani, Y., Kimura, S., Hidaka, K., Komiyama, K., and Suzuki, M. (2024). Microbial decomposition of biodegradable plastics on the deep-sea floor. *Nature Communications* 15, 568.
- Pandey, P., Dhiman, M., Kansal, A., and Subudhi, S. P. (2023). Plastic waste management for sustainable environment: techniques and approaches. *Waste Disposal & Sustainable Energy* 5, 205-222.
- Phuong, N. N., Zalouk-Vergnoux, A., Poirier, L., Kamari, A., Châtel, A., Mouneyrac, C., and Lagarde, F. (2016). Is there any consistency between the microplastics found in the field and those used in laboratory experiments? *Environmental pollution* **211**, 111-123.
- Pilapitiya, P. N. T., and Ratnayake, A. S. (2024). The world of plastic waste: a review. *Cleaner Materials*, 100220.
- Shams, M., Alam, I., and Mahbub, M. S. (2021). Plastic pollution during COVID-19: Plastic waste directives and its long-term impact on the environment. *Environmental advances* 5, 100119.
- Sheema, Bashir, K., Fiaz, S., Khan, A. W., Haqqani, S., Bibi, A., Nawaz, K., Khan, M. A., and Ullah, A. (2024). MOLECULAR IDENTIFICATION OF HCV GENOTYPES AMONG INJECTING DRUG USERS HAVING HCV and HIV CO-INFECTION. Bulletin of Biological and Allied Sciences Research 2024, 71.
- Shen, M., Huang, W., Chen, M., Song, B., Zeng, G., and Zhang, Y. (2020). (Micro) plastic crisis: unignorable contribution to global greenhouse gas emissions and climate change. *Journal of Cleaner Production* **254**, 120138.
- Shetty, S. S., Deepthi, D., Harshitha, S., Sonkusare, S., Naik, P. B., and Madhyastha, H. (2023). Environmental pollutants and their effects on human health. *Heliyon* 9.
- Singh, P., and Sharma, V. (2016). Integrated plastic waste management: environmental and improved health approaches. *Procedia Environmental Sciences* **35**, 692-700.
- Smith, O., and Brisman, A. (2021). Plastic waste and the environmental crisis industry. *Critical Criminology* 29, 289-309.
- Stoett, P., Scrich, V. M., Elliff, C. I., Andrade, M. M., Grilli, N. d. M., and Turra, A. (2024). Global plastic pollution, sustainable development, and plastic justice. *World Development* 184, 106756.
- Thushari, G. G. N., and Senevirathna, J. D. M. (2020). Plastic pollution in the marine environment. *Heliyon* **6**.

- Ullah, I., Ullah, A., Rehman, S., Ullah, S., Ullah, H., Haqqni, S., Amir, M., Gul, F., and Bashir, K. (2023a). Prevalence and risk factors of helicobacter pylori infection among individuals with tobacco consumption habits in district Peshawar: a cross-sectional study. *Bulletin of Biological and Allied Sciences Research* **2023**, 42-42.
- Ullah, W., Ullah, A., Khan, M., Hassan, N., Aman, K., Khan, S., Hassan, S., and Hazrat, A. (2023b).
 Microbial profile and nutritional evaluation of broiler and domestic chicken meat from selected districts of Khyber Pakhtunkhwa, Pakistan.
 Bulletin of Biological and Allied Sciences Research 2023, 34-34.
- Velis, C. A., and Cook, E. (2021). Mismanagement of plastic waste through open burning with emphasis on the global south: a systematic review of risks to occupational and public health. *Environmental Science & Technology* 55, 7186-7207.
- Venkatesh, S., Mahboob, S., Govindarajan, M., Al-Ghanim, K. A., Ahmed, Z., Al-Mulhm, N., Gayathri, R., and Vijayalakshmi, S. (2021).
 Microbial degradation of plastics: Sustainable approach to tackling environmental threats facing big cities of the future. *Journal of King Saud University-Science* 33, 101362.
- Wang, L., Jiang, S., Gui, W., Li, H., Wu, J., Wang, H., and Yang, J. (2023). Photocatalytic upcycling of plastic waste: mechanism, integrating modus, and selectivity. *Small Structures* 4, 2300142.
- Wang, Y.-L., Lee, Y.-H., Chiu, I.-J., Lin, Y.-F., and Chiu, H.-W. (2020). Potent impact of plastic nanomaterials and micromaterials on the food chain and human health. *International journal of molecular sciences* 21, 1727.
- Waring, R. H., Harris, R., and Mitchell, S. (2018). Plastic contamination of the food chain: A threat to human health? *Maturitas* **115**, 64-68.
- Yuan, Z., Nag, R., and Cummins, E. (2022). Human health concerns regarding microplastics in the aquatic environment-From marine to food systems. *Science of the Total Environment* 823, 153730.
- Zhang, J., Ren, S., Xu, W., Liang, C., Li, J., Zhang, H., Li, Y., Liu, X., Jones, D. L., and Chadwick, D. R. (2022). Effects of plastic residues and microplastics on soil ecosystems: A global metaanalysis. *Journal of Hazardous Materials* 435, 129065.

Declarations

Author Contribution statement All authors contributed equally. Data Availability statement All data generated or analyzed during the study are included in the manuscript. Ethics approval and consent to participate Not applicable Consent for publication Not applicable Funding Not applicable Conflict of Interest

Regarding conflicts of interest, the authors state that their review was carried out independently without any affiliations or financial ties that could raise concerns about biases.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, <u>Creative Commons Attribution-NonCommercial 4.0</u> <u>International License</u>, © The Author(s) 2025